

**eurac**  
research

**Sustainable Mobility Research**  
**Institute for Regional Development**

Alberto Dianin

Eurac Research – Institute for Regional Development

09.11.2022



**eurac**  
research

Regional  
Development

# Trasporti sostenibili per un turismo sostenibile nelle Dolomiti e nelle Alpi

con il sostegno di



**9 novembre 2022** | ore 08:30 – 12:30

📍 Eurac Research, Conference Hall  
Viale Druso 1 - Bolzano/Bozen

# Rural Accessibility





## The sustainable mobility paradigm

David Banister

*Transport Studies Unit, Oxford University Centre for the Environment, Oxford, UK*

Available online 19 November 2007

### Abstract

This paper has two main parts. The first questions two of the underlying principles of conventional transport planning on travel as a derived demand and on travel cost minimisation. It suggests that the existing paradigm ought to be more flexible, particularly if the sustainable mobility agenda is to become a reality. The second part argues that policy measures are available to improve urban sustainability in transport terms but that the main challenges relate to the necessary conditions for change. These conditions are dependent upon high-quality implementation of innovative schemes, and the need to gain public confidence and acceptability to support these measures through active involvement and action. Seven key elements of sustainable mobility are outlined, so that public acceptability can be more effectively promoted.

© 2007 Elsevier Ltd. All rights reserved.

*Keywords:* Behaviour; Acceptability; Engagement; Participation

### 1. The problem

It has often been said that transport planning is at a crisis point and that it underestimates the key challenges facing urban planners (Banister, 2005; Balaker and Staley, 2006; Wickham, 2006). Yet it has also been remarkably robust and it has “survived” all these crises to emerge almost intact, perhaps with some minor alterations. Two fundamental principles are embedded in the approach used, namely that travel is a derived demand and not an activity that people wish to undertake for its own sake. It is only the value of the activity at the destination that results in travel. The second principle is that people minimise their generalised costs of travel, mainly operationalised through a combination of the costs of travel and the time taken for travel. These two underlying principles have important consequences, as they are embedded in most analysis and evaluation studies. They help explain the predominance of transport solutions to urban problems, and the huge growth in faster and longer distance travel, as the increased speed of travel has outweighed the increased costs of travel. Even though travel time may have remained constant as cities have spread, both distances and speeds have increased

substantially (Banister, 2006; Deakin, 2006; Duranton, 2006; Kahn, 2006). Local public transport, cycle and walking have become less attractive, and this in turn has resulted in the greater use of the car. Car dependence and the increased decentralisation of cities are difficult processes to reverse—this is the transport-led future.

Sustainable mobility provides an alternative paradigm within which to investigate the complexity of cities, and to strengthen the links between land use and transport. The city is the most sustainable urban form and it has to provide the location where most (70–80%) of the world's population will live. Empirical research has concluded that the key parameters of the sustainable city are that it should be over 25,000 population (preferably over 50,000), with medium densities (over 40 persons per hectare), with mixed use developments, and with preference given to developments in public transport accessible corridors and near to highly public transport accessible interchanges (Banister, 2005, 2006). Such developments conform to the requirements of service and information-based economies. Settlements of this scale would also be linked together to form agglomerations of polycentric cities, with clear hierarchies that would allow a close proximity of everyday facilities and high levels of accessibility to higher order activities (Hall and Pain, 2006).

*E-mail address:* david.banister@ouce.ox.ac.uk

Table 1  
 Contrasting approaches to transport planning


The conventional approach— transport planning and engineering	An alternative approach—sustainable mobility
Physical dimensions <b>Mobility</b>	Social dimensions <b>Accessibility</b>
Traffic focus, particularly on the car	People focus, either in (or on) a vehicle or on foot
Large in scale	Local in scale
Street as a road	Street as a space
Motorised transport	All modes of transport often in a hierarchy with pedestrian and cyclist at the top and car users at the bottom
Forecasting traffic	Visioning on cities
Modelling approaches	Scenario development and modelling
Economic evaluation	Multicriteria analysis to take account of environmental and social concerns
Travel as a derived demand	Travel as a valued activity as well as a derived demand
Demand based	Management based
Speeding up traffic	Slowing movement down
Travel time minimisation	Reasonable travel times and travel time reliability
Segregation of people and traffic	Integration of people and traffic

*Source:* Adapted from Marshall (2001) (Table 9.2).

# Mobility



Increase the ability to move around




New infrastructures, increased capacity of infrastructures,...



# Accessibility




Increase the ability to get what needed



Nearby services, digital services, synergy transportation/land use, active mobility,...



# Measuring accessibility






# Rural Accessibility



Cross-border public transport accessibility




Autonomous vehicles and rural accessibility




Utilitarian & recreational cycling accessibility

# Cross-border public transport accessibility



## Facts and figures:

- Between 2000 and 2015 the number of cross-border commuters in EU has **increased by ca 350%**
- Central Europe hosts **about 20%** of EU cross-border commuting flows
- In Central Europe, cross-border flows mostly affect **rural areas**, with a dispersed demand and **lacking public transport network**







# Cross-border public transport accessibility

## Applied-research work:

- We developed policy solutions related to three main domains: **connectivity, tariff and ticketing, info-mobility**
- We elaborated a **cross-border accessibility strategy for the Province of South Tyrol** (endorsed by local stakeholders and politicians)


## Basic-research work:

- We developed **cross-border accessibility models** to evaluate the efficiency of public transport (different kinds of gravity-based models)
- We extended the reflection on cross-border public transport to the alpine arch and the **tourism mobility**



# Autonomous vehicles and rural accessibility

## Rural Accessibility:



## Facts and figures:

- Many rural areas suffer from **low accessibility**, with negative effects on their attractiveness as places to live
- The **rural public transport provision** is often limited by the low demand and the related poor financial sustainability
- This generates relevant issues especially for the **population groups** that rely on public transport (as elderly or pupils)
- The **transport automation process** may greatly support the improvement of rural transport service, but even increase the attractiveness of private mobility

## Transport Automation:




# Autonomous vehicles and rural accessibility

## Basic-research work:


- We investigate the **current space-time constraints and mobility habits** of the rural population
- We **develop scenarios of rural public transport automation** in study areas located
- We **estimate the impacts** of these scenarios on the accessibility of different population groups living in the study areas

## Conceptual use cases




**Legend:**  
 ◊ Settlements served by AVs    ◀ Connections for peak hours    ↔ Fixed connections  
 ★ Local centers served by AVs    ▶ Connections for off-peak hours    ↔ Demand-responsive connections  
 ★ Main centers served by AVs    ⬆ Connections for the whole day    A/B/C Identifiers recalled in Table 3

## Concrete scenarios in South Tyrol



## Performance, cost and capacity design

## Scenario design flow chart



# Utilitarian & recreational cycling accessibility




## Facts and figures:

- It is widely recognized that bicycling has positive impacts **environment, health, societal and transport costs**
- Cities like Munich, Amsterdam and Copenhagen have registered an increase of their **utilitarian bicyclers** by over 50% between the 90' and 2010
- In tourism destinations as Germany, Ireland and France cycle tourism and **recreational cycling** has become a key attraction
- The widespread of the **e-bike** is hugely extending the range of recreational (and even utilitarian) bike users

# Utilitarian & recreational cycling accessibility


## Applied-research work:

- We map the **opportunities** relevant for cycle tourists in the eastern Alps and the **cycling infrastructures** leading to them
- We develop **cycle-tourism concepts and business models** for different destinations in the Italian Alps (e.g. Valbelluna and Val Camonica)



## Basic-research work:

- We currently attempt to develop a **person-based accessibility model for cycling**, which deploys the gravity-based approach
- We attempt to address the four key criticalities of non-motorized accessibility models in new basic-research proposals



# Main projects related to this presentation

## Running and recent projects:

1. **CONNECT2CE** – (Interreg Central Europe 2017-2020)
2. **RAAV** – (Joint Project South Tyrol / Austria 2022-2024)
3. **E-BIKE** – (Interreg Italy / Switzerland 2019-2022)
4. **EMOTIONWAY** – (Interreg Italy / Austria 2018-2022)
5. **Ciclovia del Cielo** – (Auftrag vom Comunità Montana Val Camonica 2021-2022)
6. **Valbelluna** – (Auftrag vom Consorzio BIM Piave 2016-2017)
7. **iMONITRAF!** – (Auftrag vom Land Tirol 2017-2023)
8. **BBT: Update of the CO2 balance for the Brenner Base Tunnel** – (Direct mandate 2022)

## Projects under evaluation/submission:

1. **SUSTANCE** – (Interreg Central Europe call 2021-2027)
2. **URCA** – (Joint Projects South Tyrol / Germany – current call)

## Contact person:

- Alberto Dianin
- Alberto Dianin
- Isidoro De Bortoli
- Philipp Corradini
- Isidoro De Bortoli
- Isidoro De Bortoli
- Alberto Dianin
- Federica Maino

## Contact person:

- Alberto Dianin
- Alberto Dianin

# Main publications related to this presentation

1. Dianin, A., Gidam, M., Hauger, G., 2022. *Isolating the Role of the Transport System in Individual Accessibility Differences: A Space-Time Transport Performance Measure*. Applied Sciences 12, 3309. <https://doi.org/10.3390/app12073309>
2. Lückge, H., Heldstab, J., Maibach, M., Dianin, A., Sommacal, G., Skonieczki, P., 2022. *iMONITRAF! Annual Report 2021 A new policy pathway to support the implementation of the Combined Scenario*. Climonomics, INFRAS, Eurac Research, Amt der Tiroler Landesregierung, 2021. Print. <https://hdl.handle.net/10863/20402>
3. Cavallaro, F., Dianin, A., 2022. *Combining transport and digital accessibilities in the evaluation of regional work opportunities*. Journal of Transport Geography 98, 103224. <https://doi.org/10.1016/j.jtrangeo.2021.103224>
4. Dianin, A., Ravazzoli, E., Hauger, G., 2021. *Implications of Autonomous Vehicles for Accessibility and Transport Equity: A Framework Based on Literature*. Sustainability 13, 4448. <https://doi.org/10.3390/su13084448>
5. Cavallaro, F., Dianin, A., 2020. *Efficiency of public transport for cross-border commuting: An accessibility-based analysis in Central Europe*. Journal of Transport Geography 89, 102876. <https://doi.org/10.1016/j.jtrangeo.2020.102876>
6. Cavallaro, F., Dianin, A., 2020. *An innovative model to estimate the accessibility of a destination by public transport*. Transportation Research Part D 80, 102256. <https://doi.org/10.1016/j.trd.2020.102256>
7. Cavallaro, F., Dianin, A., 2020. *Cross-border public transport as a driver for tourism in the Alps*. Transportation Research Procedia, Recent Advances and Emerging Issues in Transport Research – An Editorial Note for the Selected Proceedings of WCTR 2019 Mumbai 48, 2446–2461. <https://doi.org/10.1016/j.trpro.2020.08.262>
8. Cavallaro, F., Dianin, A., 2019. *Cross-border commuting in Central Europe: features, trends and policies*. Transport Policy 78, 86–104. <https://doi.org/10.1016/j.tranpol.2019.04.008>
9. Dianin, A., Cavallaro, F., 2019. *Automation and urban transport planning: Policy recommendations and best practices*, WIT Transactions on Ecology and the Environment, Volume 238, WIT Press, 2019, ISSN 1743-3541. <https://doi.org/10.2495/SC190541>
10. Nocera, S., Dianin, A., Cavallaro, F., 2018. Chapter Nine - *Greenhouse Gas Emissions and Transport Planning: Toward a New Era?* in: Shifan, Y., Kamargianni, M. (Eds.), Advances in Transport Policy and Planning, Preparing for the New Era of Transport Policies: Learning from Experience. Academic Press, pp. 245–280. <https://doi.org/10.1016/bs.atpp.2018.07.009>

**eurac**  
research

**Thank you for your attention!**

**Head of institute:** [thomas.streifeneder@eurac.edu](mailto:thomas.streifeneder@eurac.edu)

**Involved researcher today:** [alberto.dianin@eurac.edu](mailto:alberto.dianin@eurac.edu)

**Institute:** [regional.development@eurac.edu](mailto:regional.development@eurac.edu)



Trasporti sostenibili per un turismo sostenibile nelle Dolomiti e nelle Alpi  
9 Novembre, 2022 – Eurac Research HQ - Bolzano/Bozen, Italia

**eurac**  
research



con il sostegno di

